

A

NEW UNITED STATES UTILITY PATENT APPLICATION
under 37 C.F.R. 1.53(b)

Page 1

Atty. Docket No. 3797.80030

CERTIFICATE OF EXPRESS MAILING UNDER 37 C.F.R. § 1.10: The undersigned hereby certifies that this United States Patent Application and all papers noted herein as being attached, are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 C.F.R. § 1.10 today, **October 1, 1999**, and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Express Mail Label No.: EM461380904US

Assistant Commissioner for Patents
Box Patent Applications
Washington, D.C. 20231

Enclosed herewith is a new patent application and the following papers:

First Named Inventor (or application identifier): Khurshed Mazhar

Title of Invention: Windows Radio Toolbar

1. ☒ Specification 25 pages (including specification, claims, abstract) / 17 claims (4 independent)
2. ☒ Declaration/Power of Attorney is:
☐ attached in the regular manner.
☒ NOT included, but deferred under 37 C.F.R. § 1.53(f).
3. ☒ 13 Distinct sheets of ☐ Formal ☒ Informal Drawings
4. ☐ Preliminary Amendment.
5. ☐ Information Disclosure Statement
☐ Form 1449
☐ A copy of each cited prior art reference
6. ☐ Assignment with Cover Sheet.
7. ☐ Priority is hereby claimed under 35 U.S.C. § 119 based upon the following application(s):

Country	Application Number	Date of Filing (day, month, year)

8. ☐ Priority document(s).

NEW UNITED STATES UTILITY PATENT APPLICATION
under 37 C.F.R. 1.53(b)

Page 2

Atty. Docket No. 3797.80030

9. ☐ Statement Claiming Small Entity Status.
10. ☐ Microfiche Computer Program (Appendix).
11. ☐ Nucleotide and/or Amino Acid Sequence Submission.
☐ Computer Readable Copy.
☐ Paper Copy (identical to computer copy).
☐ Statement verifying identity of above copies.
12. Calculation of Fees:

FEES FOR	EXCESS CLAIMS	FEE	AMOUNT DUE
Basic Filing Fee (37 C.F.R. § 1.16(a))			\$760.00
Total Claims in Excess of 20 (37 C.F.R. § 1.16(c))	0	18.00	\$0.00
Independent Claims in Excess of 3 (37 C.F.R. § 1.16(b))	1	78.00	\$78.00
Multiple Dependent Claims (37 C.F.R. § 1.16(d))	0	260.00	\$0.00
Subtotal - Filing Fee Due			\$838.00
	MULTIPLY BY		
Reduction by 50%, if Small Entity (37 C.F.R. §§ 1.9, 1.27, 1.28)	0		\$0.00
TOTAL FILING FEE DUE			\$838.00
Assignment Recordation Fee (if applicable) (37 C.F.R. § 1.21(h))	0	40.00	\$0.00
GRAND TOTAL DUE			\$838.00

13. PAYMENT is:
- ☒ included in the amount of the GRAND TOTAL by our enclosed check. A general authorization under 37 C.F.R. § 1.25(b), second sentence, is hereby given to credit or debit our Deposit Account No. 01-0850 for the instant filing and for any other fees during the pendency of this application under 37 C.F.R. §§ 1.16, 1.17 and 1.18.
- ☐ not included, but deferred under 37 C.F.R. § 1.53(f).

NEW UNITED STATES UTILITY PATENT APPLICATION
under 37 C.F.R. 1.53(b)

Page 3


Atty. Docket No. 3797.80030

14. All correspondence for the attached application should be directed to:

Pamela I. Banner
Banner & Witcoff, Ltd.
1001 G. Street, N.W., 11th Floor
Washington, DC 20001
Telephone: (202) 508-9100
Facsimile: (202) 508-9299

15. Other: Return Postcard

Date: October 1, 1999

By: 

Timothy C. Meece
Reg. No. 38,553

TCM/dmc

**CERTIFICATE OF MAILING
(PATENT)**

Express Mail No. EM461380904US

Deposited October 1, 1999

I hereby certify that the attached correspondence, identified below, is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Box Patent Applications, Washington, D.C. 20231.

By: 

Application of: Mazhar, et al.

Serial No.: not assigned

Filed: October 1, 1999

Title: Windows Radio Toolbar

☒ Patent Application (Specification 25 pages)

☒ 13 pages of informal drawings

☒ Check in the amount of \$838.00

☒ Return Postcard

B&W Case No.: 03797.80030 - TCM

WINDOWS RADIO TOOLBAR

Field of the Invention

The present invention relates to the field of utilizing Internet sources of streaming-media
5 content on a computer and, in particular, to client/server architectures and graphical user
interfaces for toolbars and explorer bars utilized in conjunction with Web browsers providing
streaming-media content.

Background of the Invention

10 In recent years, there has been a tremendous proliferation of computers connected to a
global network known as the Internet. A "client" computer connected to the Internet can
download digital information from "server" computers connected to the Internet. Client
application and operating system software executing on client computers typically accepts
commands from a user and obtains data and services by sending requests to server applications
15 running on server computers connected to the Internet. A number of protocols are used to
exchange commands and data between computers connected to the Internet. The protocols
include the File Transfer Protocol (FTP), the Hyper Text Transfer Protocol (HTTP), the Simple
Mail Transfer Protocol (SMTP), and other protocols.

The HTTP protocol is used to access data on the World Wide Web, often referred to as
20 "the Web." The World Wide Web is an information service on the Internet providing documents
and links between documents. The World Wide Web is made up of numerous Web sites around
the world that maintain and distribute Web documents. A Web site may use one or more Web
server computers that are able to store and distribute documents in one of a number of formats

including the Hyper Text Markup Language (HTML). An HTML document can contain text, graphics, audio clips, and video clips, as well as metadata or commands providing formatting information. HTML documents also include embedded links, such as URLs, that reference other data or Web pages located on the local computer or network server computers. “URL” is an
5 abbreviation for “uniform resource locator,” the global address of documents and other resources on the World Wide Web.

A Web browser is a client application, software component, or operating system utility that communicates with server computers via FTP, HTTP, and Gopher protocols. Web browsers receive Web documents (*i.e.* Web pages) from the network and present them to a user. Internet
10 Explorer, available from Microsoft Corporation, of Redmond, Washington, is an example of a popular Web browser.

Recently, many users have started utilizing their Web browsers to locate streaming media sources. After a streaming media source is located, the Web browser works in conjunction with a media player in order to play the media on the client computer’s monitor and/or speakers. An
15 example of a popular media player is Windows Media Player, also available from Microsoft Corporation. A streaming media source is a source (*e.g.*, a URL) that “streams” media/data to a client computer. Streaming is a technique for transferring data such that it can be processed as a steady and continuous stream. Streaming technologies are becoming increasingly important with the growth of the Internet because most users do not have fast enough access to download large
20 multimedia files quickly. With streaming, the Web browser or media player can start displaying the data before the entire file has been transmitted. An example of a streaming media source is a radio station that “streams” its broadcast to users on the Internet. In this example, the streaming-

media source (*i.e.* radio station) is downloaded from the Internet and played on a client computer using the Windows Media Player.

Unfortunately, it is inefficient and cumbersome for users to use two separate applications (*e.g.* Web browsers and media players) in order to browse and listen to streaming-media sources.

5 For example, if a user is listening to a radio broadcast with a media-player application and decides to search for a new radio station, the user must launch a separate application (*i.e.* a Web browser) in order to find the radio station. Moreover, access to media-player and browser controls requires manual switching between the two applications by the user. This significantly hinders the Web browsing experience. This is illustrated in FIGURE 13.

10 Further, Internet radio broadcasts typically contain information relevant to the item being played that is displayed in most media-players as text and images (*e.g.* information regarding the singer, record company, copyright, etc.). Many users are interested in viewing this information whenever the item changes. In order to simultaneously view this information and browse the Internet, the media-player and Web browser application windows must be displayed side-by-side
15 on the user's screen. This significantly reduces the amount of available viewing area for displaying Web pages in a Web browser.

Furthermore, selecting a URL for an Internet radio station on a Web page automatically launches a media-player application. This is slow and results in a very distracting and unpleasant user experience.

20 Another prior-art integration of radio players with Web browsers has been to embed the player control in a Web page. The obvious limitation to this approach is that the radio station is dependent on the Web page that is hosting it. The user has no way of changing to a new Web page without interrupting reception of the radio station broadcast.

Accordingly, an object of the present invention is to provide a single application that allows a user to play, control and select streaming-media sources, while simultaneously browsing the Internet.

A further object of the present invention is to provide seamless integration of a radio
5 player with a Web browser so that a radio station can be played without interruption—irrespective of the content being browsed.

Summary of the Invention

10 The present invention is stored as computer-executable instructions on a computer-readable medium. One aspect of the present invention is a computer system that has at least one speaker for playing a first source of streaming media and has a display device for rendering a graphical user interface of a Web browser displaying a Web page in a browser pane. The graphical user interface includes a radio toolbar for displaying at least one button capable of
15 controlling the first source of streaming media. The radio-toolbar buttons can include: a play button for instructing the Web browser to play the first source of streaming media, a mute button for instructing the Web browser to silence the first source of streaming media, and a volume slider for controlling the volume of the first source of streaming media played over the speaker. The radio toolbar buttons can also include: a radio-stations button allowing user selection of the
20 first source of streaming media, and an information area displaying information about the first source of streaming media. Additionally, the graphical user interface can also include a menu bar, a standard-buttons toolbar, an address toolbar, horizontal or vertical explorer bars, a links toolbar and a status bar.

Another aspect of this invention is the architecture of the radio client and server(s). This aspect encompasses a computer-readable medium having computer-executable components. One component is a radio server component that plays a radio source of streaming-media. Another component is an interfacing component for communicating with the radio server component. A third component is at least one radio-client component that communicates through the interfacing component in order to provide instructions to the radio-server component regarding the radio source of streaming media. Exemplary interfacing components include shared memory and Windows messaging components.

Brief Description of the Drawings

The present invention may take physical form in certain parts and steps, preferred embodiments of which will be described in detail in this specification and illustrated in the accompanying drawings which form a part hereof, wherein:

FIGURE 1 is a block diagram of a general-purpose computer system for implementing the present invention;

FIGURES 2A-G illustrate a radio toolbar in accordance with the present invention;

FIGURE 3 illustrates a Web browser displaying a Web page, wherein the Web browser includes the radio toolbar of FIGURES 2A-E as well as a menu bar;

FIGURE 4 shows the Web browser of FIGURE 3, wherein the Web browser also includes a standard-buttons toolbar, an address toolbar, a links toolbar and a status bar;

FIGURE 5 depicts the Web page of FIGURE 4 after a user has selected the "Radio Stations" button on the radio toolbar;

FIGURE 6 illustrates a Web browser with vertical and horizontal explorer bars as well as a radio toolbar, a menu bar, a standard-buttons toolbar, an address toolbar, a links toolbar and a status bar;

FIGURE 7 illustrates how users can selectively choose between vertical and horizontal explorer bars from a Web browser menu bar;

FIGURE 8 shows the Web browser of FIGURE 4, wherein the Web browser includes a menu bar, a standard-buttons toolbar, an address toolbar, a radio toolbar, a vertical explorer bar, a links toolbar and a status bar;

FIGURE 9 shows a block diagram of one embodiment of the radio client/server architecture of the present invention, wherein the client and server communicate through a shared memory;

FIGURE 10 illustrates a block diagram of another embodiment of the radio client/server architecture of the present invention, wherein the client and server communicate through a shared memory and/or an interface;

FIGURE 11 is a block diagram of still another embodiment of the radio client/server architecture of the present invention, wherein the client and server communicate through a shared memory and/or through Windows messaging;

FIGURE 12 is a flow diagram illustrating the various steps performed by the client and server in the present invention; and

FIGURE 13 depicts the Windows Media Player and Web browser combination used in the prior art.

Detailed Description of the Invention

The present invention provides client/server architectures as well as graphical user interfaces for toolbars and explorer bars utilized in conjunction with Web browsers furnishing streaming-media content. The toolbar user-interface element of the present invention solves the usability problems of the prior art by providing a seamless integration into existing Web-browser tool bars. The integration issues are further resolved by employing a client/server approach where a radio server object maintains all the functionality to connect and stream the radio on the computer 20. Each Web-browser-integrated radio client (*i.e.* radio toolbar) registers with the server on creation and becomes a client of the radio server. The lightweight radio client only contains functionality to display the graphical user interface needed to play, control and select streaming-media content.

In particular, radio toolbar design and client/server architecture of the present invention solves the usability problems of the prior art as follows. First, a radio station guide is available as a menu option on the radio toolbar. When selected, this menu option takes the user to a radio-station Web page that hosts a compilation of Internet radio stations, streaming-media content, and/or a media search engine. Second, several radio controls like Play, Stop, Volume and Mute are available in close proximity to the regular Web browser controls. The close proximity of the radio controls to the Web browser controls provides a simple, easy-to-use user interface. Third, the information pane of the radio toolbar provides the user with meta information being transmitted as part of a radio broadcast. Thus, the user can keep the Web browser application maximized (or full screen) while viewing this information. Fourth, activating a radio link displayed on a Web page causes the radio server and client to switch to the new station without the distraction of a separate application launch. Users can thus navigate the browser to a different location without affecting the user's reception of the radio-station broadcast.

The client/server architecture further resolves the integration issues in the following manner. The radio server broadcasts an update message to all instances of the player, which allows for all radio clients to synchronize their user interface so that they each display the same play state and station information. Playing a new radio station in any instance of the Web browser automatically switches off the old station and starts the new one since all station connectivity and playback occurs on the radio server. Further, having lightweight radio clients without user interface implementation decreases the memory foot print and load time for any Web browser instance. These and other aspects of the present invention are described in detail below.

In accordance with the present invention, a Web browser executes on a computer, such as a general-purpose personal computer. FIGURE 1 and the following discussion are intended to provide a brief, general description of a suitable computing environment in which the invention may be implemented. Although not required, the invention will be described in the general context of computer-executable instructions, such as program modules, being executed by a personal computer. Generally, program modules include routines, programs, objects, components, data structures, etc. that perform particular tasks or implement particular abstract data types. Moreover, those skilled in the art will appreciate that the invention may be practiced with other computer system configurations, including hand-held devices, multiprocessor systems, microprocessor-based or programmable consumer electronics, network PCs, minicomputers, mainframe computers, and the like. The invention may also be practiced in distributed computing environments where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules may be located in both local and remote memory storage devices.

With reference to FIGURE 1, an exemplary system for implementing the invention includes a general-purpose computing device in the form of a conventional personal computer 20, including a processing unit 21, a system memory 22, and a system bus 23 that couples various system components including the system memory to the processing unit 21. The system bus 23 may be any of several types of bus structures including a memory bus or memory controller, a peripheral bus, and a local bus using any of a variety of bus architectures. The system memory includes read only memory (ROM) 24 and random access memory (RAM) 25. A basic input/output system 26 (BIOS), containing the basic routines that helps to transfer information between elements within the personal computer 20, such as during start-up, is stored in ROM 24. The personal computer 20 further includes a hard disk drive 27 for reading from and writing to a hard disk, not shown, a magnetic disk drive 28 for reading from or writing to a removable magnetic disk 29, and an optical disk drive 30 for reading from or writing to a removable optical disk 31 such as a CD ROM or other optical media. The hard disk drive 27, magnetic disk drive 28, and optical disk drive 30 are connected to the system bus 23 by a hard disk drive interface 32, a magnetic disk drive interface 33, and an optical drive interface 34, respectively. The drives and their associated computer-readable media provide nonvolatile storage of computer readable instructions, data structures, program modules and other data for the personal computer 20. Although the exemplary environment described herein employs a hard disk, a removable magnetic disk 29 and a removable optical disk 31, it should be appreciated by those skilled in the art that other types of computer-readable media which can store data that is accessible by a computer, such as magnetic cassettes, flash memory cards, digital versatile disks, Bernoulli cartridges, random access memories (RAMs), read only memories (ROM), and the like, may also be used in the exemplary operating environment.

A number of program modules may be stored on the hard disk, magnetic disk 29, optical disk 31, ROM 24 or RAM 25, including an operating system 35, one or more application programs 36, other program modules 37, and program data 38. A user may enter commands and information into the personal computer 20 through input devices such as a keyboard 40 and pointing device 42. Other input devices (not shown) may include a microphone, joystick, game pad, satellite dish, scanner, or the like. These and other input devices are often connected to the processing unit 21 through a serial port interface 46 that is coupled to the system bus, but may be connected by other interfaces, such as a parallel port, game port or a universal serial bus (USB). A monitor 47 or other type of display device is also connected to the system bus 23 via an interface, such as a video adapter 48. One or more speakers 57 are also connected to the system bus 23 via an interface, such as an audio adapter 56. In addition to the monitor and speakers, personal computers typically include other peripheral output devices (not shown), such as printers.

The personal computer 20 may operate in a networked environment using logical connections to one or more remote computers, such as remote computer 49. Each remote computer 49 may be another personal computer, a server, a router, a network PC, a peer device or other common network node, and typically includes many or all of the elements described above relative to the personal computer 20, although only a memory storage device 50 or 61 has been illustrated in FIGURE 1. The logical connections depicted in FIGURE 1 include a local area network (LAN) 51 and a wide area network (WAN) 52. Such networking environments are commonplace in offices, enterprise-wide computer networks, intranets and the Internet. As depicted in FIGURE 1, the remote computer 49 communicates with the personal computer 20 via

the local area network 51. The remote computer 49 communicates with the personal computer 20 via the wide area network 52.

When used in a LAN networking environment, the personal computer 20 is connected to the local network 51 through a network interface or adapter 53. When used in a WAN
5 networking environment, the personal computer 20 typically includes a modem 54 or other means for establishing communications over the wide area network 52, such as the Internet. The modem 54, which may be internal or external, is connected to the system bus 23 via the serial port interface 46. In a networked environment, program modules depicted relative to the personal computer 20, or portions thereof, may be stored in the remote memory storage device.

10 It will be appreciated that the network connections shown are exemplary and other means of establishing a communications link between the computers may be used.

With reference to FIGURES 2A-E and 3-5, the radio client of the present invention is a radio toolbar 200 inside a Web browser 300, preferably Internet Explorer. The radio toolbar 200 is composed of the following components: a play / stop button 202, a mute button 204, a volume
15 slider 206, a radio-stations button 208, and an information area 210.

The play / stop button 202 is a toggle button that communicates to the user when the radio is on or off. When streaming-media content is not currently being played, then the play button 202 is displayed. The play button, shown in FIGURE 2A, has three states: enabled, disabled and highlighted. If no content is loaded in the radio, the play / stop button is “disabled.”
20 Preferably, the disabled state is a flat gray, play button. This state should only occur if no content has been played by the radio. Once content has been played, the last station is loaded; therefore, this button 202 is enabled. Similarly, if the user loads a station, the button 202 is “enabled.” Clicking the button 202 executes the playing of the radio station or other streaming-

media source and toggles the button 202 from “play” to “stop.” Preferably, if the user positions a cursor over the button 202 while content is not being played, the button 202 should be highlighted and the tip of the cursor will display “play” as its rollover tool tip.

Once the user has begun playing the radio, the play / stop button 202 changes to “stop.”

5 This is shown in FIGURES 2B-E and 5. Clicking the button 202 while in this state stops the radio station and toggles the state of the button 202 to “play.” Preferably, if the user positions a cursor over the button 202 while content is being played, the button 202 should be highlighted and the tip of the cursor will display “stop” as its rollover tool tip.

The volume controls for the radio toolbar include two elements: the mute button 204 and the volume slider 206. Preferably, the mute button 204 has four states: inactive, active, active rollover and muted (depressed). If the user does not have a sound card installed or a program (e.g. DirectShow) cannot modify the volume, the mute button 204 is disabled. Otherwise, the mute button 204 is enabled regardless of the content being played. With respect to the active rollover state, the mute button 204 is preferably highlighted and a “mute” rollover tool tip is displayed whenever the user positions the cursor over the button 204. When the user clicks on the mute button 204, the button 204 preferably appears depressed in order to indicate that the volume is muted. FIGURE 2C illustrates the mute button 204 when depressed, and FIGURES 2A-B and 2D-E illustrate the mute button 204 when not depressed.

With respect to the other volume control, the volume slider 206 preferably has two states: inactive and active. If the user does not have a sound card installed or if the computer 20 cannot modify the volume, the slider 206 is disabled. Otherwise, the volume slider 206 is always active irrespective of whether there is a radio station playing. This allows the user to adjust the volume before starting to listen to content, as well as when the volume is muted. The volume slider is

straightforward. Sliding the slider 206 to the left decreases the volume. And, sliding the slider 206 to the right increases the volume. The volume slider 206 only adjusts the volume of the streaming-media source (*e.g.* the radio station broadcast). Clicking to either side of the volume slider 206 causes the handle to move to the exact spot the user selected. Preferably, the click region is the width of the triangle on the volume slider 206 and the vertical extent of the handle. It is also preferred that when the user exits the Web browser 300 or turns off the radio, the volume setting chosen by the user is maintained. Thus, the next time the user starts the radio client, the volume will be at the same setting. Of course, it is preferred that the user positions a cursor over the volume slider 206 while content is being played, the tip of the cursor will display “volume control” as its rollover tool tip.

The radio-stations button 208 is a menu drop-down button adjacent to the volume slider 206. The radio-stations button 208 provides the user quick access to playing and selecting streaming-media content (*e.g.* radio stations) as well as allows the user to add a streaming-media source to the user’s favorites folder. The radio-stations button 208 is preferably always active. The radio-stations button 208 also has an active-rollover state. In this state, the button 208 is preferably highlighted and a “radio station” rollover tool tip is displayed whenever the user positions the cursor over the button 208. The radio-stations button 208, when depressed, is shown in FIGURE 5.

When the radio-stations button 208 is selected, a drop-down list 500 is displayed. The list 500 includes an “add station to favorites” entry, the “radio station guide” and the six most recently used radio stations. The “add station to favorites” option launches the Web browser’s “add to favorites” dialog box. This allows the user to add the currently playing stream to their favorites folder. The radio station guide is an online Web page that directs users to locate

radio content. The preferred radio station guide can be found at <http://webevents.microsoft.com/radio/radio.asp>. The six most recently used radio stations are the last six successfully opened stations. If the user successfully connects to a seventh station, the least recently used station is removed from the list and the seventh becomes one of the new stations in the drop-down list. Selecting one of the six most recently used stations causes the selected station to be loaded in the radio toolbar. This makes the station the most recently used and therefore the last station to be removed from the drop-down list 500.

The information area 210 is adjacent the radio-stations button 208 and consists of two components: the status text 214 and the status icon 212. The status text 214 presents the user with the meta data information associated with the radio station or other streaming-media source, as well as communicates the status of the Internet connection to the source. Once a connection to a streaming-media source is established, the status text 214 displays the meta data once. Information is displayed in the following order: show, clip, author and copyright. There is a two-second delay between showing each individual string. Once the entire detail has been displayed, the status text 214 stops on the radio station name. To review the meta data, the user simply needs to position the cursor into the information area 210. This will cause the meta data information to be redisplayed. If no ASX file is loaded, or the content contains no meta data, then the text 214 displayed in the area 210 reads "There is no additional information for this station." If there is an HREF associated with the ASX data, moving the cursor over the text 214 causes the data to be underlined, thus identifying a hyperlink. Clicking on the hyperlink launches a new instance of the Web browser 300 and navigates to the specified Web page. If no file has been loaded, then the status text 214 in the information area 210 is blank. Occasionally, an error can occur when a Web browser 300 is attempting to connect to a streaming-media

source. When an error occurs, the error is passed to the radio toolbar and is displayed as status text 214 in the information area 210. An example is shown in FIGURE 2G.

With respect to the status icon 212, the icon 212 represents to the user the status of the Internet connection to the streaming-media source. If the user is connected to a streaming source that is currently playing on the computer 20, the displayed icon is the meta default icon. This is shown as icon 212 in FIGURES 2B-E and 5. If the is not connected to a streaming source or if the source is stopped (*i.e.* not playing), then no icon is displayed as illustrated by FIGURE 2A. Persons of skill in the art will understand that a computer goes through a number of states when attempting to connect to a streaming-media source, namely: buffering, opening and connecting. The status icon 212 represents the state of this with its progressing circle. As buffering continues, the circle builds from no circle at all to a complete circle. Once the circle has been completed, the process repeats itself until a connection is made or an error occurs. The functionality of the status icon 212 can also be incorporated into the icon 400 for the status bar 402 in the Web browser 300.

Alternatively, the features, buttons and controls of the radio toolbar 200 could be incorporated as a Web browser extension such as an explorer bar, either vertical 600 or horizontal 602, as illustrated in FIGURES 6 and 7. Browser extensions allow developers to provide easy access to their browser enhancements by adding elements (like an explorer bar—also known as browser bands and communication bands) to the default user interface. This feature enables developers to create explorer bars and add entries into the standard context menus as well as add entries to the Tools menu and buttons to the toolbars in the Microsoft® Internet Explorer Web browser.

Explorer bars 600, 602 provide a display area adjacent to the browser pane 604. It is basically a child window within the Web browser 300, and it can be used to display information and interact with the user in much the same way. Explorer bars are most commonly displayed as a vertical pane 600 on the left-hand side of the browser pane 604. However, an explorer bar can also be displayed horizontally 602, below the browser pane 604.

There is a wide range of possible uses for the explorer bar 600, 602. As shown in FIGURE 7, users can select which option they wish to see in several different ways, including selecting it from the explorer bars submenu of the View menu, or clicking a toolbar button. Internet Explorer provides several standard explorer bars, including favorites and search. The search explorer bar 800 is shown in FIGURE 8. One possible use for the explorer bar 600, 602 is provide a text box for input of a search query in order to identify one or more radio stations or other streaming-media sources. Another possible use is to provide a list box for allowing user selection from a list of radio stations or streaming-media formats such as: alternative, classical, country, international, jazz, local news, pop, rock, sports and talk. Still another possible use is to provide one or more hyperlinks that advertise other URLs, Web pages, products, services, etc.

A few of the various topologies for the client/server architecture of the present invention are set forth in FIGURES 9-11. In general, the architecture includes a radio server 900 and one or more radio clients 902, 904, and 906. The radio server 900 maintains all of the functionality to connect and stream the streaming-media source (*e.g.* radio) on the computer 20. Each Web-browser-integrated radio client (*i.e.* radio toolbar) registers with the server 900 on creation and becomes a client 902, 904, 906 of the radio server. The lightweight radio client 902, 904, 906 only contains functionality to display the graphical user interface needed to play, control and select streaming-media content.

The radio server 900 can communicate with the radio client(s) 902, 904, 906 in any number of ways, including: through a shared memory 908, through an interface 1000, and/or by virtue of the Windows messaging system 1100. The shared memory 908 could be located on any computer-readable medium on the computer 20 including, but not limited to: RAM 25, a hard drive 27, a magnetic disk 28 and/or an optical disk 31.

Preferably, the radio server 900 broadcasts a message to all instances of the radio client 902, 904, 906 whenever an update is necessary. This allows all radio clients 902, 904, 906 to synchronize their user interface so that they each display the same play state and station information. Playing a new radio station in any instance of the Web browser 300 automatically switches off the old station and starts the new one since all station connectivity and playback occurs on the radio server 900. Further, having lightweight radio clients 902, 904, 906 without user interface implementation decreases the memory foot print and load time for any Web browser instance.

More particularly, the radio client(s) 902, 904, 906 and server 900 interact as follows. Whenever an instance of a Web browser 300 is launched S1200, a radio client is created S1202. The newly created client 900, 902, 904 accesses the system ROT (running object table) in order to determine if the server 900 is already running S1204. If the server 900 was not previously created, then the radio client creates an instance of the server S1206. The first instantiated radio client preferably creates the radio server 900 as a multi-threaded object in the same process as the Windows shell. The server 900 creates a new thread for its helper objects on which the server relies for its system needs such as connecting to the network and playing the streaming media. The new thread is created for stability reasons. The server 900 then proceeds to use the ROT to register itself S1208.

After registering with the ROT, the server 900 preferably establishes a shared memory 908 in RAM 25, S1210. The shared memory 908 maintains the current playback-state of the server 900 as well as end-user stream information. As previously mentioned, this information is available for examination by all clients 902, 904, 906. This is performed in order to avoid
5 expensive inter-process communication between the server 900 and each client 902, 904, 906 whenever this information changes.

If, in S1204, the server 900 was previously created, then the client 902, 904, 906 registers itself with the server 900, S1212. Preferably, the client 902, 904, 906 uses a private interface 1000 to directly register with the server 900; however, any means of communication and
10 registration could be used. The radio client 902, 904, 906 then proceeds to bind itself to and access the shared memory 908, S1214.

Under normal client/server operation, the server 900 will update the shared memory 908 whenever the current playback-state or end-user stream information has been changed S1216. As previously mentioned, the server 900 send an update message to each client 902, 904, 906
15 whenever this occurs. The clients 902, 904, 906 will then access the shared memory in order to obtain the current information S1218. Whenever a user selects a radio station S1220, for example, by selecting a one of the most recently used stations on the drop-down list 500 for the radio stations button 208, then the radio client 900, 902, 904 receives the URL to the radio station. The radio client 902, 904, 906 then uses the cached server interface 1000 to ask the
20 server 900 to stream and play the particular station S1222. The server proceeds to play the radio station S1224. Further, whenever the user provides an instruction to one of the clients 902, 904, 906, such as Play, Stop, Mute, Change Volume, etc., the client 902, 904, 906 provides this instruction to the server 900.

The above-outlined process continues until the client is shut down. When a radio client 902, 904, 906 is switched off (explicitly or as a result of the Web browser instance shut down), the client unregisters itself with the server 900 using the cached server interface 1000 or the Windows messaging system 1100. On client unregistration, the server 900 removes the particular client from its client list and no longer posts update messages to it. The client 902, 904, 906 proceeds to unbind itself from the shared memory 908.

After the last radio client 902, 904, 906 is closed (*e.g.* by switching off the radio toolbar or by shutting down the Web browser instance), the radio playback is stopped (if playing). Preferably, the radio server 900 is maintained for a period of time, such as five minutes, in the anticipation that another radio client might be initiated shortly. After the period of time elapses, the server 900 unregisters itself from the system ROT, releases the shared memory 908 as well as all system resources and helper objects. Lastly, the server 900 terminates its thread.

The present invention has been described herein with reference to specific exemplary embodiments thereof. It will be apparent to those skilled in the art, that a person understanding this invention may conceive of changes or other embodiments or variations, which utilize the principles of this invention without departing from the broader spirit and scope of the invention as set forth in the appended claims. All are considered within the sphere, spirit, and scope of the invention. The specification and drawings are, therefore, to be regarded in an illustrative rather than restrictive sense. Accordingly, it is not intended that the invention be limited except as may be necessary in view of the appended claims.

Claims

What is claimed is:

- 1) In a computer system having a display device for rendering a graphical user interface of a Web browser displaying a Web page in a browser pane and having at least one speaker for playing a first source of streaming media, said graphical user interface comprising a radio toolbar for displaying at least one button capable of controlling said first source of streaming media.
- 2) The computer system of claim 1 wherein the radio toolbar contains:
 - a) a play button for instructing the Web browser to play the first source of streaming media;
 - b) a mute button for instructing the Web browser to silence the first source of streaming media; and
 - c) a volume slider for controlling the volume of the first source of streaming media played over the speaker.
- 3) The computer system of claim 2 wherein the radio toolbar further contains:
 - a) a radio-stations button allowing user selection of the first source of streaming media; and
 - b) an information area displaying information about the first source of streaming media.
- 4) The computer system of claim 1 wherein the graphical user interface of the Web browser further comprises a menu bar that includes a plurality of menu entries selected from the group consisting of: File, Edit, View, Favorites, Tools and Help.

- 5) The computer system of claim 4 wherein the graphical user interface of the Web browser further comprises at least one explorer bar for providing a display area adjacent to the browser pane.
- 6) The computer system of claim 5 wherein said at least one explorer bar comprises a text box for input of a search query in order to identify at least one second source of streaming media.
- 7) The computer system of claim 6 wherein said at least one explorer bar further comprises a list box for allowing user selection of at least one streaming-media format.
- 8) The computer system of claim 7 wherein said at least one explorer bar further comprises at least one advertising hyperlink to at least one URL.
- 9) The computer system of claim 7 wherein said at least one streaming-media format in the list box is selected from the group consisting of: alternative, classical, country, international, jazz, local news, pop, rock, sports and talk.
- 10) The computer system of claim 5 wherein said at least one second source of streaming media is second Web page with at least one streaming-media hyperlink to at least one third source of streaming media;

- 11) The computer system of claim 9 wherein said at least one explorer bar is a vertical explorer bar.
- 12) The computer system of claim 9 wherein said at least one explorer bar is a horizontal explorer bar.
- 13) In a computer system having a display device for rendering a graphical user interface of a Web browser displaying a Web page in a browser pane and having at least one speaker for playing a first source of streaming media, said graphical user interface comprising:
- a) a radio toolbar displaying a plurality of radio-toolbar buttons for controlling said first source of streaming media, said plurality of radio-toolbar buttons including:
 - i) a play button for instructing the Web browser to play the first source of streaming media;
 - ii) a mute button for instructing the Web browser to silence the first source of streaming media;
 - iii) a volume slider for controlling the volume of the first source of streaming media played over the speaker;
 - iv) a radio-stations button allowing user selection of the first source of streaming media; and
 - v) an information area displaying information about the first source of streaming media;
 - b) at least one explorer bar for providing a display area adjacent to the browser pane, said at least one explorer bar capable of displaying information and allowing user interaction;

- c) a menu bar for allowing user control of the Web browser and the Web page, the menu bar including a plurality of menu entries selected from the group consisting of: File, Edit, View, Favorites, Tools and Help;
 - d) a standard-button toolbar that allows user navigation of the Web page, the navigation toolbar including a plurality of navigation-toolbar buttons selected from the group consisting of: Back, Forward, Stop, Refresh, Home, Search, History, Print, Mail and Edit;
 - e) an address bar identifying an address for the Web page being displayed by the Web browser in the browser pane; and
 - f) a status bar showing a current status for the Web page.
- 14) In a computer system having a display device for rendering a graphical user interface of a Web browser displaying a Web page in a browser pane and having at least one speaker for playing a first source of streaming media, said graphical user interface comprising at least one explorer bar for providing a display area adjacent to the browser pane, said at least one explorer bar is registered with the Web browser as a band object, said at least one explorer bar allowing user input regarding the first source of streaming media.
- 15) A computer-readable medium having computer-executable components comprising:
- a) a radio server component for playing a radio source of streaming media;
 - b) an interfacing component for communicating with the radio server component; and

- c) at least one radio client component communicating through the interfacing component in order to provide instructions to the radio server component regarding the radio source of streaming media.

16) The computer-readable medium of claim 15 wherein the interfacing means is a shared memory component.

17) The computer-readable medium of claim 15 wherein the interfacing means is a Windows messaging component.


Abstract of the Invention

Radio client/server architectures and graphical user interfaces for toolbars and explorer bars utilized in conjunction with Web browsers providing streaming-media content are disclosed.

In one aspect of the present invention, the graphical user interface is of a Web browser with a

5 radio toolbar that displays one or more buttons capable of controlling a source of streaming media. The graphical user interface can also include a menu bar, a standard-buttons toolbar, an address toolbar, horizontal or vertical explorer bars, a links toolbar and/or a status bar. The architecture aspect of the present invention includes a plurality of computer-executable components. One component is a radio server that plays a radio source of streaming-media.

10 Another component is an interface for communicating with the radio server. A third component is at least one radio-client that communicates through the interface in order to provide instructions to the radio server.






Figure 2A




Figure 2B




Figure 2C



Figure 2D




Figure 2E




Figure 2F




Figure 2G

Web Events Radio - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Radio Play Radio Stations

home radio music showcase full schedule help go to msn.com

msn.
Web Events *experience online audio and video*

Browse for radio stations below or enter your US zip code at right for quick personalization. NOTE: When you "push" a radio tuner button, the station's Web site appears while the station is loading (~30 seconds).

Click a button to hear a radio station's direct webcast

66k or higher is recommended

☐ R. Free Virgin ☐ BBC World ☐ NPR ☐ LAUNCH.com ☐ Bloomberg
☐ CNN ☐ House of Blues ☐ ZDTV Radio ☐ Music Choice ☐ MSNBC

Browse radio stations or personalize your tuner:

☒ US State ☐ Country ☐ Formal ☐ Adult Contemporary

To personalize your Radio Tuner, select a radio station from the list below, and then click a button above.

<input type="radio"/> 5FM Music Radio (South Africa)	Listen or visit home page.
<input type="radio"/> Antena 1 (Brazil)	Listen or visit home page.
<input type="radio"/> AVEX (Japan)	Listen or visit home page.
<input type="radio"/> AXES (Belgium)	Listen or visit home page.
<input type="radio"/> Bayern 3 (Germany)	Listen or visit home page.
<input type="radio"/> Boa Vista (Brazil)	Listen or visit home page.
<input type="radio"/> Cadena COPE (Spain)	Listen or visit home page.
<input type="radio"/> CADENA SER (Spain)	Listen or visit home page.
<input type="radio"/> CHFL-FM (Canada)	Listen or visit home page.

☐ Can't find your favorite radio station?
☐ Want to hear about new stations? Subscribe to your FREE newsletter

Tell us what you'd like to hear.

your email

all audio/video categories
Radio

enter zip

radio station guide

To listen to these stations, be sure you have the Windows Media Player!

Get Windows Media Player

Figure 3




Figure 4




Figure 5

Microsoft Corporation. All rights reserved. Microsoft, the Microsoft Dynamics logo, and "Where Do You Want To Go Today?" are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.




Figure 6

Microsoft Internet Explorer 5.0




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13 (Prior Art)